

Features

- Vitreous china
- Elongated bowl
- Comfort Height_®
- Concealed trapway
- Less trim and supply (does not include seat or trip lever)
- 12" (305 mm) rough-in
- 1.6 gpf (6 lpf)
- 2" (51 mm) glazed trapway
- 10-1/2" (267 mm) x 9" (229 mm) water area
- 27-3/4" (705 mm) x 17-1/2" (445 mm) x 28-1/4" (718 mm)

Codes/Standards Applicable

Specified model meets or exceeds the following:

- ADA
- ICC/ANSI A117.1
- CSA B651
- *OBC*
- ASME A112.19.2/CSA B45.1
- Energy Policy Act of 1992

KATHRYN® COMFORT HEIGHT® TOILET K-3324

ADA CSA B651 OBC



Colors/Finishes

- 0: White
- Other: Refer to Price Book for additional colors/finishes

Accessories

- 0: White
- CP: Polished Chrome
- PB: Vibrant_® Polished Brass
- Other: Refer to Price Book for additional colors/finishes

Specified Model

Model	Description			Colors/Finishes	
K-3324	Comfort Height toilet			0 🗆	Other
Recomme	ended Accessories				·
K-7637	Angle supply with stop – 3/8" NPT	D CP	D PB	□ Other	
Optional	Accessories				
K-4650	Lustra _{TM} elongated open-front toilet seat - for Accessibility compliance	0 🗆		Gener	
K-9451	Kathryn _® trip lever		□ CP	Other	

Product Specification

The elongated bowl toilet shall be made of vitreous china. Toilet shall be 27-3/4'' (705 mm) in length, 17-1/2'' (445 mm) in width, and 28-1/4'' (718 mm) in height with a 10-1/2'' (267 mm) x 9'' (229 mm) water area. Toilet shall be Comfort Height. Toilet shall be 12'' (305 mm) rough-in, and 1.6 gpf (6 lpf). Toilet shall have concealed trapway. Toilet shall be less trim and supply (does not include seat or trip lever). Toilet shall be Kohler Model K-3324-_____.

KATHRYN_®

Technical Information

Fixture:				
Configuration	one-piece, elongated			
Water per flush	1.6 gal (6 L)			
Passageway	2″ (51 mm)			
Water area	10-1/2″ (267 mm) x 9″ (229 mm)			
Water depth from rim	6″ (152 mm)			
Seat post hole centers	5-1/2" (140 mm)			
Included components: Tank cover 1006066				
Tank accessory pack	52265			
Bolt cap accessory pack	1013092			


Installation Notes

Install this product according to the installation guide.

Will comply with the American Disabilities Act **(ADA)** when installed per the requirements of the Accessibility Guidelines, Section 604 Water Closets, of the Act, which include the installation of an open front seat.

Will comply with **CSA B651** when installed per Clause 4.3.6 of the standard.

Will comply with **OBC** Barrier Free requirements when installed per Clause 3.8.3.8 and 3.8.3.9.



Product Diagram

