

Features


- Cast iron with Safeguard® finish
- Center drain outlet
- Drop-in or tile-in installation
- 48" (1219 mm) x 36" (914 mm) x 4" (102 mm)

Codes/Standards Applicable

Specified model meets or exceeds the following:

ASME A112.18.2/CSA B125.2

ENAMELED CAST IRON SHOWER BASE K-9025, K-9026



Colors/Finishes

- 0: White
- Other: Refer to Price Book for additional colors/finishes

Accessories:

- CP: Polished Chrome
- PB: Vibrant_® Polished Brass
- Other: Refer to Price Book for additional colors/finishes
- NA: None applicable

Specified Model

Model	lel Description			Colo	Colors/Finishes			
K-9025	Kathryn® shower base with center drain (honeycomb Safeguard pat			ern) 🗆 0	□ 0		☐ Other	
K-9026	Purist _® shower base with center drain (rectangular Safeguard pa			n) 🗆 0		□ Other		
Recommended Accessory C			Cold	olors/Finishes				
K-9132		Drain	□С	Р	□ PB		□ Other	
Optional Accessories				Colors/Finishes				
K-9027	27 Teak shower grate			□ NA				
K-1679-F	-PC Steam generator			□NA	NA			
K-1647-F	C	Steam generator control kit		□ CP	□ PB	□Othe	er	

Product Specification

The enameled cast iron shower base shall be 48" (1219 mm) in length, 36" (914 mm) in width, and 4" (102 mm) in height. Shower base shall have Safeguard finish, center drain, and allow for drop-in or tile-in installation. Product shall be Kohler Model K-_____-.

Technical Information


	Fixture*:					
	Weight	175 lbs (79.4 kg)				
	Drain Outlet	Ø 3-3/8" (86 mm)				
	Configuration	1-piece				
Ī	*Approximate measurements for comparison only.					

Installation Notes

Install this product according to the installation guide.

The dimensions are applicable for this product only and should not be used to fabricate substitute bases for shower enclosures.

The K-1679-PC steam generator and the K-1647-PC steam generator control kit are designed for use with this product. Kohler shall not be responsible for problems encountered due to the installation and use of other manufacturer's steam generators.



Product Diagram

