KOHLER®

Features

- Vitreous china
- Elongated bowl
- Comfort Height_®
- Class Five® flushing system
- Less supply
- 12" (30.5 cm) rough-in
- 1.28 gpf (4.8 lpf)
- 2-1/8" (5.4 cm) glazed trapway
- 11-3/8" (28.9 cm) x 8" (20.3 cm) water area
- 29-1/2" (74.9 cm) x 19-5/8" (49.8 cm) x 30-3/8" (77.2 cm)

Codes/Standards Applicable

Specified model meets or exceeds the following:

- ADA
- ICC/ANSI A117.1
- ASME A112.19.2/CSA B45.1
- EPA WaterSense®



HIGHLINE_®



Colors/Finishes

- 0: White
- Other: Refer to Price Book for additional colors/finishes

Accessories

- 0: White
- CP: Polished Chrome
- Other: Refer to Price Book for additional colors/finishes

Specified Model

Description	Trip Lever	Colors/Finishes	
Class Five _® toilet	left-hand	0 🗆	Other
Class Five _® toilet	right-hand	0 🗆	Other
			Other
¥			Other
transhold elongated open-front toilet seat — for ADA compliance			I ()thor
	0	Class Five® toilet right-hand	Class Five® toilet right-hand 0

Product Specification

The elongated bowl toilet shall be made of vitreous china. Toilet shall be 29-1/2'' (74.9 cm) in length, 19-5/8'' (49.8 cm) in width, and 30-3/8'' (77.2 cm) in height with a 11-3/8'' (28.9 cm) x 8'' (20.3 cm) water area. Toilet shall be 1.28 gpf (4.8 lpf) with Class Five_® flushing system. Toilet shall have 12'' (30.5 cm) rough-in and 2-1/8'' (5.4 cm) glazed trapway. Toilet shall be Comfort Height and less supply. Toilet shall be Kohler Model K-3658-_____.

HIGHLINE®


Technical Information

Fixture:			
Configuration	two-piece, elongated		
Water per flush	1.28 gal (4.8 L)		
Passageway	2-1/8" (5.4 cm)		
Water area	11-3/8" (28.9 cm) x 8" (20.3 cm)		
Water depth from rim	5-3/8" (13.7 cm)		
Seat post hole centers	5-1/2" (14 cm)		
Included components:			
Bowl	K-4199		
Tank	K-4436		
Tank cover	84591		
Trip lever	K-9386		
Bolt cap accessory pack	1013092		

Installation Notes

Install this product according to the installation guide.

Will comply with the American Disabilities Act (ADA) when installed per the requirements of the Accessibility Guidelines, Section 604 Water Closets, of the Act. The Model Plumbing Codes require the installation of elongated open-front toilet seats in public bathrooms.



 $\begin{array}{l} \text{HIGHLINE}_{\circledast} \text{ CLASS FIVE}_{\circledast} \text{ TOILET} \\ \text{Page 2 of 2} \\ \text{1137547-4-} \textbf{C} \end{array}$